



156-836^{Q&As}

Check Point Certified Maestro Expert - R81 (CCME)

Pass CheckPoint 156-836 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/156-836.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CheckPoint
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is a downlink interface used for?

- A. To connect appliances to Orchestrators
- B. To connect appliances to customer's infrastructure
- C. To connect in between Orchestrators
- D. To connect Orchestrators to customer's infrastructure

Correct Answer: B

QUESTION 2

What cannot be learned from the output of asg monitor command?

- A. Uptime
- B. Port status
- C. Security Policy status
- D. Appliances cluster status

Correct Answer: C

QUESTION 3

What is the max amount of Orchestrators in Dual-site setup?

- A. 2 per Security Group
- B. 4 per Security Group
- C. 2
- D. 4

Correct Answer: B

QUESTION 4

What is the purpose of g_tcpdump command?

- A. Collects traffic dump from all Active Appliances within Security Group
- B. Collects traffic dump from CIN network



- C. Collects traffic dump from Sync network
- D. The same as tcpdump, just on Scalable Platform

Correct Answer: A

QUESTION 5

What Maestro component acts as a load balancer and network switch?

- A. Security Switching Module (SSM)
- B. Maestro Hyperscale Orchestrator (MHO)
- C. Security Group (SG)
- D. Security Gateway Module (SGM)

Correct Answer: B

[156-836 PDF Dumps](#)

[156-836 VCE Dumps](#)

[156-836 Study Guide](#)