



156-836^{Q&As}

Check Point Certified Maestro Expert - R81 (CCME)

Pass CheckPoint 156-836 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/156-836.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CheckPoint
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What kinds of transceivers are supported on Orchestrator MHO-140?

- A. SFP, QSFP, QSFP28
- B. SFP+, SFP28, QSFP
- C. SFP, SFP+, SFP28
- D. SFP, SFP+, QSFP, QSFP28

Correct Answer: C

QUESTION 2

Multiple SGs can exist in a Dual Site environment. Each SG can be configured in one of three ways. Which is not one of those ways?

- A. Two MHOs connected to two MHOs via load balancers.
- B. Two MHOs at same site connected to remote site MHOs via two different switches.
- C. Two MHOs at same site connected to remote site MHOs via single switch.
- D. Direct connectivity between Remote Site MHOs.

Correct Answer: A

QUESTION 3

What Maestro component acts as a load balancer and network switch?

- A. Security Switching Module (SSM)
- B. Maestro Hyperscale Orchestrator (MHO)
- C. Security Group (SG)
- D. Security Gateway Module (SGM)

Correct Answer: B

QUESTION 4

What does the lldpctl command do?

- A. Show all devices discovered by LLDP protocol on downlink ports



- B. Show all devices discovered by LLDP protocol on all ports
- C. Discover orchestrators
- D. Show all devices discovered by LLDP protocol on uplink ports

Correct Answer: B

QUESTION 5

What does asg monitor command do?

- A. This command does not exist
- B. Monitor health status of entire system
- C. Monitor traffic on Appliances in Security Group
- D. Show real-time cluster status of Appliances in Security Group

Correct Answer: D

[156-836 VCE Dumps](#)

[156-836 Practice Test](#)

[156-836 Study Guide](#)