



1D0-735^{Q&As}

CIW JavaScript Specialist

Pass CIW 1D0-735 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1d0-735.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CIW Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Consider the following code.

```
<input id="age" value="0" />
<button onclick="ageTest()">Enter your age.</button>
<p id="test"></p>

<script type="text/javascript">
function ageTest() {
    var age, test;

    age = document.getElementById("age").value;

    test = (age >= 25) ? "You are old enough":"You are not old enough";
    document.getElementById("test").innerHTML = test + " to rent a car from our car rental agency.";
}
</script>
```

Which of the following will occur if the user's response is 25?

- A. The response will not be tested due to an error in the line containing the conditional operator.
- B. The statement "You are not old enough to rent a car from our car rental agency " will be displayed.
- C. The statement "You are old enough to rent a car from our car rental agency " will be displayed.
- D. The statement "You are not old enough" will be displayed in an alert box.

Correct Answer: D

QUESTION 2

Loni needs to create a scriptable button in her Web form that does not submit the form but instead, calls a custom function. What HTML code should she use?

- A. `<form method="function" action="generateCAPTCHA()">`
- B. `<input type="submit" value="Refresh" onclick="generateCAPTCHA()" />`
- C. `<input type="hidden" value="Refresh" onclick="generateCAPTCHA()" />`
- D. `<button value="Refresh" onclick="generateCAPTCHA()"></button>`

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: C



QUESTION 3

Marshall's computer previously contracted malware because he unknowingly clicked on an infected link in a pop-up window. What can he do to secure the Web browser so that he is protected in the future?

- A. Install the latest beta update for the Web browser
- B. Disable cookies in the Web browser
- C. Enable the pop-up blocker
- D. Install anti-virus software

Correct Answer: C

QUESTION 4

Joseph is designing a Web form for new patient enrollment in a doctor's office. He wants to ensure that users enter valid information on the form. He also wants to make sure that hackers cannot submit malicious code to gain access to information about other patients.

What technique should he use?

- A. He should secure the Web pages through SSL (Secure Sockets Layer) certificates
- B. He should write a script to compare the information the user entered with the information on the Internet that is publicly available about the user
- C. He should write regular expressions to check that the data values entered match the requirements
- D. He should add the required attribute to the e-mail and phone fields on the form

Correct Answer: C

QUESTION 5

Consider the following code:

```
1 <script type="text/javascript">
2   function supportTicket(date, name, email, item, description){
3     this.date = date;
4     this.name = name;
5     this.email = email;
6     this.item = item;
7     this.description = description; }
8   var ticket1 = new supportTicket("2017-06-05", "Ryan Nuen", "ryan.nuen@ciwcertified.com", "GTQ6741", "The computer
will not connect to the Internet.");
9   supportTicket.prototype.resolved = false;
10  var ticket2 = new supportTicket("2017-06-06", "Eliza Cruke", "eliza.cruke@ciwcertified.com", "GTQ3561", "I need
the network printer in office 203 installed on my computer.");
11 </script>
```

What does line 9 do?



- A. Nothing it must written as supportTicket. prototype, this, resolve = resolve ; to add the properly resolved to the custom supportTicket object
- B. it add the property resolved to the original instantiated custom supportTicket object ticket1.
- C. it add the property resolved to the newly instantiated custom supportTicket object ticket1.
- D. it add the property resolved to all instances instantiated custom supportTicket object ticket1 and ticket2.

Correct Answer: B

[1D0-735 PDF Dumps](#)

[1D0-735 VCE Dumps](#)

[1D0-735 Braindumps](#)