



# 1Z0-074<sup>Q&As</sup>

Upgrade Oracle DBA 11g or 12c to 12c R2

## Pass Oracle 1Z0-074 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-074.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A multi-tenant container database (CDB) contains three PDBs.

Which three are prerequisites for performing a cross-platform transport of any of the PDBs? (Choose three.)

- A. The CDB should be in MOUNT state.
- B. The source and target platforms must have the same endianness.
- C. The COMPATIBLE parameter must be set to 12.2 or greater in the CDB.
- D. The source PDBs must be closed for a cross-platform PDB backup.
- E. Flashback database must be enabled for the CDB.
- F. The CDB must use Automatic Memory Management.

Correct Answer: BCD

Reference: <https://docs.oracle.com/en/database/oracle/oracle-database/12.2/bradv/rman-transportingdata-across-platforms.html#GUID-B0178538-6E41-455D-8166-FBB1EDC5D198>

### QUESTION 2

Examine this parameter:

NAME	TYPE	VALUE
optimizer_capture_sql_plan_baselines	boolean	TRUE

Examine these commands:

```
SQL EXEC DBMS_SPM.CONFIGURE ('AUTO_CAPTURE_PARSING_SCHEMA_NAME', 'SH', true);
PL/SQL procedure successfully completed.
SQL> EXEC DBMS_SPM.CONFIGURE ('AUTO_CAPTURE_PARSING_SCHEMA_NAME', 'SYS', true);
PL/SQL procedure successfully completed.
SQL> EXEC DBMS_SPM.CONFIGURE ('AUTO_CAPTURE_SQL_TEXT', '%TEST_ONLY%', false);
PL/SQL procedure successfully completed.
```

Which three are true after executing these commands? (Choose three.)

- A. All statements executed by SH are captured and included in a baseline.
- B. Statements executed by both SH and SYS may be captured and included in a baseline.



- C. Only statements executed by SYS are captured and included in a baseline.
- D. Only statements executed by SH containing the "TEST\_ONLY" string are excluded from capture.
- E. Statements executed by any user containing the "TEST\_ONLY" string are excluded from capture.
- F. Only repeatable statements executed by SYS and SH are considered for baselines.

Correct Answer: AEF

### QUESTION 3

Examine these statements executed in the PROD1 database: Which statements are audited?

```
SQL> CREATE USER C##J_USER IDENTIFIED BY oracle_4U;  
User created.
```

```
SQL> GRANT DBA to C##J_USER;  
Grant succeeded.
```

```
SQL> CREATE AUDIT POLICY AUD_DBA_POL ROLES DBA;  
Audit policy created.
```

```
SQL> AUDIT POLICY AUD_DBA_POL;  
Audit succeeded.
```

C##J\_USER now executes these statements while logged in to PROD1:

```
SQL> ALTER SYSTEM SET JOB_QUEUE_PROCESSES=200;  
System altered.
```

```
SQL> ALTER SYSTEM SET JOB_QUEUE_PROCESSES=200;  
System altered.
```

```
SQL> ALTER SYSTEM SWITCH LOGFILES;  
ALTER SYSTEM SWITCH LOGFILES  
*
```

```
ERROR at line 1:  
ORA-01900: LOGFILE keyword expected
```

```
SQL> CREATE USER C##J_USER2 IDENTIFIED BY ORACLE;  
User created.
```

- A. only the CREATE USER statement
- B. only the ALTER SYSTEM statements
- C. only the CREATE USER statement and the first change to JOB\_QUEUE\_PROCESSES



- D. only the changes to JOB\_QUEUE\_PROCESSES and the CREATE USER statement
- E. all the statements

Correct Answer: D

---

#### QUESTION 4

The EMP\_CDB1 and EMP\_CDB2 CDBs are in ARCHIVELOG mode.

Oracle Managed Files is enabled in both CDBs.

EMP\_CDB1 has a PDB, EMP\_PDB1.

In EMP\_CDB2, you log in as the SYS user.

You plan to execute this statement:

```
CREATE PLUGGABLE DATABASE emp_pdb2 FROM emp_pdb1@emp_link RELOCATE;
```

Which two statements are true? (Choose two.)

- A. The AVAILABILITY MAX clause should be added to the command to ensure transaction consistency during the relocation process.
- B. SYSOPER privilege should be granted to the user defined in EMP\_LINK and used to connect to the remote database.
- C. EMP\_PDB2 should be opened in read-write mode to complete the relocation process.
- D. EMP\_PDB1 should be dropped manually from EMP\_CDB1 after executing the relocating command.
- E. EMP\_LINK should exist as a public link in EMP\_CDB1 and EMP\_CDB2.
- F. Only EMP\_PDB1 should be in local undo mode.

Correct Answer: CE

---

#### QUESTION 5

APP1 is an application container that has an application seed and two application PDBs, APP\_PDB1 and APP\_PDB2.

1.0 is the current version of the application. You execute this block in the application root:



```
ALTER PLUGGABLE DATABASE APPLICATION appl
BEGIN UPGRADE '1.0' TO '1.5';
  CREATE ROLE role1;
ALTER PLUGGABLE DATABASE APPLICATION appl
END UPGRADE TO '1.5';
```

What is the outcome?

- A. An error is thrown because the version number should be sequential, either 1.1 or 2.0.
- B. An error is thrown because the CONTAINER=ALL clause is missing.
- C. An error is thrown because the c## prefix is missing in the role name.
- D. A common role is created only in the application root.
- E. A common role is created only in the application root and application seed.
- F. A common role is created in the application root, application seed, APP\_PDB1, and APP\_PDB2.

Correct Answer: D

[Latest 1Z0-074 Dumps](#)

[1Z0-074 PDF Dumps](#)

[1Z0-074 Braindumps](#)