



9A0-389^{Q&As}

Adobe Campaign Developer

Pass Adobe 9A0-389 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/9a0-389.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is the most problematic issue about the workflow shown below?



- A. The end activity will cause all records in the context to be removed from memory.
- B. The split might fail causing no deliveries to be sent.
- C. The two deliveries will be sent concurrently causing issues with the MTA.
- D. The query may not have been completed before the scheduler runs again.

Correct Answer: D

QUESTION 2

Regarding the schema below, why is the link NOT optimized?

```
<srcSchema name="purchase" namespace="neo">
  <element autopk="true" label="Purchases" name="purchase">
    <attribute label="purchase identifier" name="idPurchase" type="long"/>
    <attribute label="Product" name="product" type="string"/>
    <attribute label="Date" name="date" type="date"/>
    <attribute label="Price" name="price" type="double"/>
    <element label="Recipient" name="recipient" target="nms:recipient" type="link">
      <join xpath-dest="@id" xpath-src="@idPurchase"/>
    </element>
  </element>
</srcSchema>
```



- A. Integrity rules are not defined
- B. The sequence for filling primary key values is not defined
- C. The automatic primary key is not used
- D. There is no unique index on the idPurchase attribute

Correct Answer: D

QUESTION 3

The following data model was automatically created by Adobe Campaign. How would you implement the corresponding schema?



cdArchive

| SQL field | Type | Label | Description |
|----------------|------------|----------------|----------------------|
| iCdArchiveId | long | Primary key | Internal primary key |
| sArtist | string 100 | Artist | Artist |
| sRecordCompany | string 50 | Record Company | Record Company |
| sTitle | string 100 | Title | Title |
| tsReleaseDate | date | Release Date | Release Date |

- A.
- ```
<srcSchema>
...
<element autopk="true" label="cdArchive" name="cdArchive">
 <attribute label="Primary key" name="cdArchiveId" type="long"/>
 <attribute label="Artist" length="100" name="artist" type="string"/>
 <attribute label="Title" length="100" name="title" type="string"/>
 <attribute label="Release Date" name="releaseDate" type="date"/>
 <attribute label="Record Company" length="50" name="recordCompany" type="string"/>
</element>
</srcSchema>
```
- B.
- ```
<srcSchema>
...
<element label="cdArchive" name="cdArchive">
  <attribute label="sArtist" length="100" name="artist" type="string"/>
  <attribute label="sTitle" length="100" name="title" type="string"/>
  <attribute label="tsRelease Date" name="releaseDate" type="date"/>
  <attribute label="sRecord Company" length="50" name="recordCompany" type="string"/>
</element>
</srcSchema>
```
- C.
- ```
<srcSchema>
...
<element label="cdArchive" name="iCdArchive">
 <attribute label="Artist" length="100" name="sArtist" type="string"/>
 <attribute label="Title" length="100" name="sTitle" type="string"/>
 <attribute label="Release Date" name="tsReleaseDate" type="date"/>
 <attribute label="Record Company" length="50" name="sRecordCompany" type="string"/>
</element>
</srcSchema>
```
- D.
- ```
<srcSchema>
...
<element autopk="true" label="cdArchive" name="cdArchive">
  <attribute label="Artist" length="100" name="artist" type="string"/>
  <attribute label="Title" length="100" name="title" type="string"/>
  <attribute label="Release Date" name="releaseDate" type="date"/>
  <attribute label="Record Company" length="50" name="recordCompany" type="string"/>
</element>
</srcSchema>
```

A. B. C. D.

Correct Answer: C



QUESTION 4

How can you prevent a user from inputting a recipient without an email address?

- A. By adding a element in the form.
- B. By adding a "dataPolicy=\\'mandatory\\'" attribute to the schema.
- C. By adding a "mandatory=\\'true\\'" attribute to the form.
- D. By adding a trigger in the database.

Correct Answer: C

QUESTION 5

You want to see the email column in the list of the field recipient records. What should you do?

- A. Add the email to the navtree definition.
- B. Add the email to the form definition.
- C. Add the email to the "configure list" menu.
- D. Add the email to the schema definition.

Correct Answer: C

[9A0-389 VCE Dumps](#)

[9A0-389 Practice Test](#)

[9A0-389 Exam Questions](#)