



9A0-389^{Q&As}

Adobe Campaign Developer

Pass Adobe 9A0-389 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/9a0-389.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two parts of this query could potentially cause performance problems? (Choose two.)

	Expression	Operator	Value
	Status (@status)	equal to	Client
And	Recipient delivery logs (broadLog)	exist such as	
And	Tracking logs (trackingLog)	exist such as	
And	Source URL (url/@source)	contains	google.com
And	Event date for Recipient delivery logs (... after		23/06/2014 00:00:00

- A. The "equal to" operator is not efficient.
- B. The "url" is a table with high volumes.
- C. The "tracking log" is a table with high volumes.
- D. The "exist such as" operator is not efficient.

Correct Answer: CD

QUESTION 2

You create a new operator in Adobe Campaign. You decide the operator will NOT need access to the system via the rich client console.

Which statement is true when rich client access is forbidden?

- A. The operator cannot login via the rich client but has web access and is authorized to make API requests
- B. The operator can only access the system through SSH
- C. The operator cannot login via the rich client or make API requests but will have web access
- D. The operator cannot login via the rich client and has to access all functionality through a web interface

Correct Answer: D

Reference: https://docs.campaign.adobe.com/doc/AC6.1/en/INS_Overview_General_architecture.html

QUESTION 3



You want to see the email column in the list of the field recipient records. What should you do?

- A. Add the email to the navtree definition.
- B. Add the email to the form definition.
- C. Add the email to the "configure list" menu.
- D. Add the email to the schema definition.

Correct Answer: C

QUESTION 4

How can you give access to a view without giving access to its source folder?

- A. Provide only read access to the specific parent node.
- B. Do not give read access on the parent node of the source folder.
- C. Set the "Restrict to information found in sub-folders of" tab to the specific view.
- D. The user must be able to access the source folder to access a view.

Correct Answer: B

Reference: <https://docs.campaign.adobe.com/doc/archives/en/610/platform-v6.1-en.pdf> (page 211)

QUESTION 5

The following data model was automatically created by Adobe Campaign. How would you implement the corresponding schema?



cdArchive

SQL field	Type	Label	Description
iCdArchiveId	long	Primary key	Internal primary key
sArtist	string 100	Artist	Artist
sRecordCompany	string 50	Record Company	Record Company
sTitle	string 100	Title	Title
tsReleaseDate	date	Release Date	Release Date

- A.
- ```
<srcSchema>
 ...
 <element autopk="true" label="cdArchive" name="cdArchive">
 <attribute label="Primary key" name="cdArchiveId" type="long"/>
 <attribute label="Artist" length="100" name="artist" type="string"/>
 <attribute label="Title" length="100" name="title" type="string"/>
 <attribute label="Release Date" name="releaseDate" type="date"/>
 <attribute label="Record Company" length="50" name="recordCompany" type="string"/>
 </element>
</srcSchema>
```
- B.
- ```
<srcSchema>
  ...
  <element label="cdArchive" name="cdArchive">
    <attribute label="sArtist" length="100" name="artist" type="string"/>
    <attribute label="sTitle" length="100" name="title" type="string"/>
    <attribute label="tsRelease Date" name="releaseDate" type="date"/>
    <attribute label="sRecord Company" length="50" name="recordCompany" type="string"/>
  </element>
</srcSchema>
```
- C.
- ```
<srcSchema>
 ...
 <element label="cdArchive" name="iCdArchive">
 <attribute label="Artist" length="100" name="sArtist" type="string"/>
 <attribute label="Title" length="100" name="sTitle" type="string"/>
 <attribute label="Release Date" name="tsReleaseDate" type="date"/>
 <attribute label="Record Company" length="50" name="sRecordCompany" type="string"/>
 </element>
</srcSchema>
```
- D.
- ```
<srcSchema>
  ...
  <element autopk="true" label="cdArchive" name="cdArchive">
    <attribute label="Artist" length="100" name="artist" type="string"/>
    <attribute label="Title" length="100" name="title" type="string"/>
    <attribute label="Release Date" name="releaseDate" type="date"/>
    <attribute label="Record Company" length="50" name="recordCompany" type="string"/>
  </element>
</srcSchema>
```

A. B. C. D.

Correct Answer: C



VCE & PDF

GeekCert.com

<https://www.geekcert.com/9a0-389.html>

2024 Latest geekcert 9A0-389 PDF and VCE dumps Download

[9A0-389 PDF Dumps](#)

[9A0-389 Practice Test](#)

[9A0-389 Study Guide](#)