



# ACD100<sup>Q&As</sup>

Appian Certified Associate Developer

## Pass Appian ACD100 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/acd100.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Appian  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

An end-user needs to trigger a process model and act on the user task assigned to them. What is the minimum security permission needed?

- A. Viewer
- B. Initiator
- C. Editor
- D. Manager

Correct Answer: B

The "Initiator" permission allows a user to start a new instance of a process model and access any user tasks assigned to them in that instance. This permission does not allow the user to modify the process model or any of its components, but only to initiate and participate in a process.

---

### QUESTION 2

You have been tasked with creating a new expression rule in an application with the acronym ABC. According to Appian best practices, which name is most appropriate?

- A. ABCGetUserById
- B. ABC\_GetUserById
- C. ABC\_GetUser\_byId
- D. ABC\_get\_user\_by\_id

Correct Answer: B

---

### QUESTION 3

A record type is using a process as its data source. Which statement is true?

- A. Archived process instances are accessible with process-backed records.
- B. The record has access to current values of process variables within process instances.
- C. Process-backed records derive information from a data store entity.
- D. Process-backed records can only access process variable values when a process instance completes.

Correct Answer: B

<https://docs.appian.com/suite/help/23.1/configure-record-data-source.html#process-model>

---



#### QUESTION 4

In a rule, there is a variable named local!numberOfCustomers which will eventually change value.

You are tasked with creating a variable that captures the original value so that you can later compare the original and new value.

Which parameter settings should you use for your new variable?

- A. refreshAlways:true
- B. refreshOnReferencedVarChange: false
- C. refreshOnReferencedVarChange: true
- D. refreshOnVarChange:local!numberOfCustomers

Correct Answer: B

Referencing another local variable creates a dependency between the two variables and ensures that the referenced variable is always evaluated first.

---

#### QUESTION 5

In addition to initiating the process model, what other permission is required to execute the Write to Data Store Entity smart service?

- A. Viewer permission to the data store
- B. Viewer permission to a constant that points to the data store entity
- C. Admin permission to the CDT
- D. Editor permission to the record

Correct Answer: A

[Latest ACD100 Dumps](#)

[ACD100 VCE Dumps](#)

[ACD100 Study Guide](#)