



C_BW4HANA_20^{Q&As}

SAP Certified Application Associate - Reporting Modeling and Data Acquisition with SAP BW/4HANA 2.x





Pass SAP C_BW4HANA_20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/c_bw4hana_20.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You define a new generic DataSource in SAP ERP with A time stamp as the delta characteristic A value for the Safety interval Lower Limit A new status for changed records.

How does this impact how you model the data target in SAP BW/4HANA? Note: There are 2 correct answers to this question.

- A. The data target must be able to manage duplicate records.
- B. The data target can be a DataStore object (advanced) of the Standard DataStore Object model template.
- C. The data target can be a DataStore object (advanced) of the InfoCube model template.
- D. The data target must be modeled with a characteristic for the safety interval.

Correct Answer: AB

QUESTION 2

Why do you define a custom table as a row store table? Note: There are 2 correct answers to this question.

- A. The table will be integrated into a native SAP HANA calculation view.
- B. Aggregation and fast search is required for query execution.
- C. When the table is accessed, all columns of a single record are processed.
- D. The values in the columns are different. Therefore, data compression would NOT have much effect.

Correct Answer: CD

QUESTION 3

Which query property do you set to minimize the initial run time for the query read mode?

- A. Read all data at once.
- B. Read data individually from InfoProvider.
- C. Cache is inactive.
- D. Read data when you navigate or expand hierarchies.

Correct Answer: D

QUESTION 4

You want to use the SAP HANA concept of semantic types as part of the currency conversion mechanism. You decide



to use semantic type Amount with Currency Code within your SAP HANA calculation view. Which currency reference can be assigned to the measure? Note: There are 3 correct answers to this question.

- A. A fixed currency
- B. A currency from a currency conversion
- C. A currency from another column
- D. A currency from an SAP HANA content calculation view
- E. A currency from SAP BW customizing

Correct Answer: ACE

QUESTION 5

When do you recommend using an external hierarchy? Note: There are 3 correct answers to this question.

- A. The hierarchical structure will be time-dependent.
- B. The structure will contain formulas.
- C. The structure will depend on the order of the row characteristics.
- D. The structure exists in the source system.
- E. The query data will be restricted to a hierarchy node.

Correct Answer: ADE

[Latest C_BW4HANA_20 Dumps](#)

[C_BW4HANA_20 PDF Dumps](#)

[C_BW4HANA_20 Practice Test](#)