

C_TADM_23^{Q&As}

SAP Certified Technology Consultant – SAP S/4HANA System Administration

Pass SAP C_TADM_23 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/c_tadm_23.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

In the role maintenance transaction (PFCG) of an AS ABAP-based SAP system, which step grants the authorizations of a role to a user master record?

- A. Assign a user to the role
- B. Save the role
- C. Generate the profile
- D. Perform a user comparison

Correct Answer: CD

QUESTION 2

What can you do to determine the SAPUI5 patch level in an AS ABAP-based SAP system?

- A. Execute the ICF service /sap/public/bc/ui5_ui5
- B. Check the version of software component SAP_UI
- C. Use the program WDG_MAINTAIN_UR_MIMES
- D. Use the program /UI5/UI5_UPLOAD_PATCH_TO_MIME

Correct Answer: B

QUESTION 3

Which file system locations do you need to specify when installing the SAP HANA multi-host database system using the default settings? Note: There are 2 correct answers to this question.

- A. /usr/sap/hostctrl
- B. /hana/shared
- C. /hana/log/
- D. /usr/sap/

Correct Answer: BC

QUESTION 4



Which app types require SAP HANA as system database? Note: There are 2 correct answers to this question.

- A. Analytical apps
- B. Fact sheet apps
- C. Classic applications
- D. Transactional apps

Correct Answer: AB

According to the SAP Fiori App Types and Database Requirements document1, analytical apps and fact sheet apps require SAP HANA as system database. Analytical apps provide insight into the real-time operations of the business by collecting and displaying analytic information and indicators, such as KPIs, directly in the browser. Fact sheet apps display contextual information and key facts about central objects used in the business operations. Both types of apps consume data immediately from the SAP HANA database, mainly through search models. Transactional apps and classic applications, on the other hand, can run on any database supported by the SAP NetWeaver Application Server ABAP. References: SAP Fiori App Types and Database Requirements document1

QUESTION 5

What is the correct sequence of the following four steps when you restart the SAP HANA database system?

A. Row tables are loaded into memory. Column tables are loaded. Open transactions are recovered. Aborted transactions are rolled back.

B. Aborted transactions are rolled back. Open transactions are recovered. Row tables are loaded into memory. Column tables are loaded.

C. Row tables are loaded into memory. Open transactions are recovered. Aborted transactions are rolled back. Column tables are loaded.

D. Aborted transactions are rolled back. Row tables are loaded into memory. Open transactions are recovered. Column tables are loaded.

Correct Answer: C

Latest C TADM 23 Dumps

<u>C TADM 23 Exam</u> <u>Questions</u> C TADM 23 Braindumps