



CERTIFIED-HEMODIALYSIS- TECHNICIAN-CHT^{Q&As}

BONENT Certified Hemodialysis Technician CHT

**Pass BONENT CERTIFIED-HEMODIALYSIS-
TECHNICIAN-CHT Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/certified-hemodialysis-technician-cht.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by BONENT
Official Exam Center



VCE & PDF

GeekCert.com

<https://www.geekcert.com/certified-hemodialysis-technician-cht.html>
2024 Latest geekcert CERTIFIED-HEMODIALYSIS-TECHNICIAN-CHT PDF
and VCE dumps Download

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Reprocessed dialyzers may be disinfected in many ways, including chemical disinfection, heat disinfection, and others. When preparing dialyzers for patient use, which of the following is the proper procedure?

- A. Always follow procedures specific to disinfectant type
- B. Always fill the blood compartment before the dialysate compartment
- C. Always fill the dialysate compartment before the blood compartment
- D. Recirculate saline in the extracorporeal circuit before infusing it into the patient

Correct Answer: D

QUESTION 2

Measuring conductivity of finished dialysate with an external meter is

- A. important when acetate is used as the buffer.
- B. mandatory if the bicarbonate solution is not monitored.
- C. not necessary on a regular basis because the dialysis machine monitors these parameters.
- D. recommended by the Association for the Advancement of Medical Instrumentation (AAMI) and manufacturers of dialysis machines.

Correct Answer: D

QUESTION 3

Which of the following precautions is NOT necessary when cleaning up a formaldehyde spill?

- A. Wearing gloves
- B. Providing adequate ventilation
- C. Using disposable cloths
- D. Prohibiting cigarette smoking

Correct Answer: D

QUESTION 4

In treated water meeting the Association for the Advancement of Medical Instrumentation (AAMI) standards, the maximum allowable CFU of bacterial contamination is



- A. 100.
- B. 200.
- C. 1000.
- D. 2000.

Correct Answer: B

QUESTION 5

The BEST way to dispose of used blood tubing, dialyzers, and other blood-containing components is to

- A. place them in an impervious trash bag marked "Biohazardous" and follow institutional policy for disposal of hazardous waste.
- B. double-bag them, mark the bag "Contaminated," and remove it from the unit as soon as possible.
- C. bag them and place them in a trash can for daily disposal.
- D. place them in a trash can and dispose of them daily.

Correct Answer: B

[Latest CERTIFIED-HEMODIALYSIS-TECHNICIAN-CHT Dumps](#) | [CERTIFIED-HEMODIALYSIS-TECHNICIAN-CHT VCE Dumps](#) | [CERTIFIED-HEMODIALYSIS-TECHNICIAN-CHT Study Guide](#)