



GPYC^{Q&As}

GIAC Python Coder (GPYC)

Pass GIAC GPYC Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/gpyc.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by GIAC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A multi-byte character encoded with UTF-8 has the first byte 11861101. What will the next byte begin with?

- A. 11
- B. 01
- C. 10
- D. 00

Correct Answer: C

QUESTION 2

What does the following command do? pip search syslog

- A. Searches for python modules related to syslog
- B. Searches for functions in the syslog module
- C. Results in a syntax error for the pip function
- D. Determines whether the syslog module is loaded

Correct Answer: A

QUESTION 3

What is the output of the ls(TCP) function?

- A. It lists all of the TCP port numbers in a TCP stream
- B. It lists all of the packets that have a TCP layer
- C. It lists the contents of the TCP layer
- D. It lists all of the fields associated with the TCP layer

Correct Answer: A

QUESTION 4

In a SQL injection attack, which character would an attacker use to separate multiple SQL statements on a single line?

- A. \"\"(double quotation marks)
- B. ; (semicolon)



C. . (period)

D. % (percentage sign)

Correct Answer: B

QUESTION 5

A log file is stored in variable "a". The file has the following format for each log entry, in order, stored in big endian: Field 1: 2-byte integer Field 2: 2-byte integer Field 3: 4-byte string Which of the following would unpack a line from the log file into the proper fields?

A. `struct.unpack('>HH4s',a)`

B. `stmct.unpack('HHHH',/a)`

D. `stnjct.unpack('!BxBx4s',/a)`

Correct Answer: A

[GPYC Study Guide](#)

[GPYC Exam Questions](#)

[GPYC Braindumps](#)