



# HPE0-S58<sup>Q&As</sup>

Implementing HPE Composable Infrastructure Solutions

**Pass HP HPE0-S58 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/hpe0-s58.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

What are valid uses for an IPv4 address pool when configuring an HPE Synergy solution? (Choose two.)

- A. assignment of IP addresses for NICs in an operating system
- B. assignment of IP addresses for Composer appliances
- C. assignment of IP addresses for PXE booting to a deployment server
- D. assignment of IP addresses for interconnect modules
- E. assignment of IP addresses for iLOs

Correct Answer: DE

Reference: [https://techlibrary.hpe.com/docs/synergy/shared/setup\\_overview/index.html](https://techlibrary.hpe.com/docs/synergy/shared/setup_overview/index.html)

---

### QUESTION 2

A Synergy integrator is creating a network that needs to be connected from the Virtual Connect SE 40Gb F8 module to a Fibre Channel (FC) Switch. Which network type should the integrator select during the network creation task?

- A. Ethernet
- B. FC over iSCSI
- C. FC over Ethernet
- D. FC

Correct Answer: D

Reference: <https://h20195.www2.hpe.com/v2/GetPDF.aspx/c04815258.pdf>

---

### QUESTION 3

An integrator is performing initial configuration of three-frame Synergy solution with HPE Image Streamer. Which networks must be created for this configuration? (Choose two.)

- A. management
- B. data
- C. console
- D. deployment
- E. internal

Correct Answer: AD



#### QUESTION 4

An HPE Synergy compute module has a template-based server profile with two identically configured connections, each containing five VLANs. What is the most efficient method the integrator can use to add a new VLAN to each connection?

- A. Add the new VLAN to the network set configured in the profile template, and update the server profile from the template
- B. Add the new VLAN under Edit server profile connections
- C. Add the new VLAN to the network set configured in the profile template
- D. Add the new VLAN under Edit server profile connections in the profile template, and update the server profile from the template

Correct Answer: A

---

#### QUESTION 5

A customer wants to add nodes to the existing ESXi cluster using the HPE OneView for vCenter Server. What must be done before this functionality can be used?

- A. The cluster must be imported to HPE OneView
- B. An additional VMkernel port must be created for OneView integration
- C. All local datastores must be disconnected or removed from the other cluster nodes
- D. At least one node of the cluster must be placed in the maintenance mode

Correct Answer: A

Reference: [https://support.hpe.com/hpsc/doc/public/display?docId=a00066686en\\_us](https://support.hpe.com/hpsc/doc/public/display?docId=a00066686en_us)

[Latest HPE0-S58 Dumps](#)

[HPE0-S58 PDF Dumps](#)

[HPE0-S58 Practice Test](#)