



JN0-105^{Q&As}

Junos - Associate (JNCIA-Junos)

Pass Juniper JN0-105 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/jn0-105.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You issue the telnet 10.10.10.1 source 192.168.100.1 command.

Which two statements are correct in this scenario? (Choose two.)

- A. The telnet session will have a source address of 192.168.100.1
- B. The telnet session will have a destination address of 10.10.10.1
- C. The telnet session will have a destination address of 192.168.100.1
- D. The telnet session will have a source address of 10.10.10.1

Correct Answer: AB

QUESTION 2

What is the protocol data unit (PDU) of the Data Link Layer?

- A. segment
- B. byte
- C. bit
- D. frame

Correct Answer: D

QUESTION 3

Which two methods keep a Junos device operational if the primary storage device fails? (Choose two.)

- A. Create a recovery snapshot.
- B. Enable the ephemeral database.
- C. Enable J-Web for device management.
- D. Create a rescue configuration.

Correct Answer: AD

QUESTION 4

Which two statements apply to the Routing Engine functions? (Choose two.)

- A. It does not process routing updates.



- B. It responds to ping and traceroute commands.
- C. It maintains the routing tables.
- D. It processes the transit traffic.

Correct Answer: BC

QUESTION 5

Which two statements are correct about firewall filters? (Choose two.)

- A. "Discard" is the default action of packets that are not explicitly allowed.
- B. There can be only one firewall filter.
- C. There can be multiple firewall filters.
- D. "Accept" is the default action of packets that are not explicitly allowed.

Correct Answer: AC

[Latest JN0-105 Dumps](#)

[JN0-105 PDF Dumps](#)

[JN0-105 Braindumps](#)