



NSE7_EFW-7.0^{Q&As}

Fortinet NSE 7 - Enterprise Firewall 7.0

Pass Fortinet NSE7_EFW-7.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/nse7_efw-7-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which statement about protocol options is true?

- A. Protocol options allows administrators a streamlined method to instruct FortiGate to block all sessions corresponding to disabled protocols.
- B. Protocol options allows administrators the ability to configure the Any setting for all enabled protocols which provides the most efficient use of system resources.
- C. Protocol options allow administrators to configure a maximum number of sessions for each configured protocol.
- D. Protocol options allows administrators to configure which Layer 4 port numbers map to upper-layer protocols, such as HTTP, SMTP, FTP, and so on.

Correct Answer: D

QUESTION 2

Which two tasks are automated using the Install Wizard on FortiManager? (Choose two.)

- A. Preview pending configuration changes for managed devices.
- B. Add devices to FortiManager.
- C. Import policy packages from managed devices.
- D. Install configuration changes to managed devices.
- E. Import interface mappings from managed devices.

Correct Answer: AD

https://help.fortinet.com/fmgr/50hlp/56/5-62/FortiManager_Admin_Guide/1000_Device%20Manager/1200_install_to%20devices/0400_Install%20wizard-device%20settings.htm There are 4 main wizards: Add Device: is used to add devices to central management and import their configurations. Install: is used to install configuration changes from Device Manager or Policies and Objects to the managed devices. It allows you to preview the changes and, if the administrator doesn't agree with the changes, cancel and modify them. Import policy: is used to import interface mapping, policy database, and objects associated with the managed devices into a policy package under the Policy and Object tab. It runs with the Add Device wizard by default and may be run at any time from the managed device list. Re-install policy: is used to perform a quick install of the policy package. It doesn't give the ability to preview the changes that will be installed to the managed device.

QUESTION 3

Refer to the exhibit, which shows the output of a diagnose command What can you conclude from the RTT value?



```
FGT # diagnose debug rating
Locale      : english
Service     : Web-filter
Status      : Enable
License     : Contract
Service     : Antispam
Status      : Disable
Service     : Virus Outbreak Prevention
Status      : Disable
-- Server List (Mon Apr 19 10:41:32 20xx) --
IP          Weight  RTT    Flags  TZ    Packets  Curr Lost  Total Lost
64.26.151.37  10     45     -5     -5    262432   0          846
64.26.151.35  10     46     -5     -5    329072   0          6806
66.117.56.37  10     75     -5     -5    71638    0          275
65.210.95.240 20     71     -8     -8    36875    0          92
209.222.147.36 20    103    DI     -8    34784    0          1070
208.91.112.194 20    107    D      -8    35170    0          1533
96.45.33.65   60    144     0      0    33728    0          120
80.85.69.41   71    226     1      1    33797    0          192
62.209.40.74  150   97      9      9    33754    0          145
121.111.236.179 45    44     F      -5    26410    26226     26227
```

- A. Its value represents the time it takes to receive a response after a rating request is sent to a particular server.
- B. Its value is incremented with each packet lost.
- C. It determines which FortiGuard server is used for license validation.
- D. Its initial value is statically set to 10.

Correct Answer: A

QUESTION 4

Refer to the exhibit, which contains partial outputs from two routing debug commands.

```
FortiGate # get router info routing-table database
S      0.0.0.0/0 [20/0] via 100.64.2.254, port2, [10/0]
S      *> 0.0.0.0/0 [10/0] via 100.64.1.254, port1

FortiGate # get router info routing-table all
S*     0.0.0.0/0 [10/0] via 100.64.1.254, port1
```

Why is the port2 default route not in the second command's output?

- A. It has a higher priority value than the default route using port1.



- B. It is disabled in the FortiGate configuration.
- C. It has a lower priority value than the default route using port1.
- D. It has a higher distance than the default route using port1.

Correct Answer: D

QUESTION 5

Examine the output of the `get router info ospf interface` command shown in the exhibit; then answer the question below.

```
# get router info ospf interface port4
port4 is up, line protocol is up
  Internet Address 172.20.121.236/24, Area 0.0.0.0, MTU 1500
  Process ID 0, Router ID 0.0.0.4, Network Type BROADCAST, Cost: 1
  Transmit Delay is 1 sec, State DROther, Priority 1
  Designated Router (ID) 172.20.140.2, Interface Address 172.20.121.2
  Backup Designated Router (ID) 0.0.0.1, Interface Address
  172.20.121.239
  Timer intervals configured, Hello 10.000, Dead 40, Wait 40, Retransmit
  5
    Hello due in 00:00:05
  Neighbor Count is 4, Adjacent neighbor count is 2
  Crypt Sequence Number is 411
  Hello received 106, sent 27, DD received 7 sent 9
  LS-Req received 2 sent 2, LS-Upd received 7 sent 5
  LS-Ack received 4 sent 3, Discarded 1
```

Which statements are true regarding the above output? (Choose two.)

- A. The port4 interface is connected to the OSPF backbone area.
- B. The local FortiGate has been elected as the OSPF backup designated router.
- C. There are at least 5 OSPF routers connected to the port4 network.
- D. Two OSPF routers are down in the port4 network.

Correct Answer: AC

on BROADCAST network there are 4 neighbors, among which 1*DR +1*BDR. So our FG has 4 neighbors, but create adjacency only with 2 (with DR and BDR). 2 neighbors DROther (not down).

[Latest NSE7_EFW-7.0 Dumps](#)

[NSE7_EFW-7.0 PDF Dumps](#)

[NSE7_EFW-7.0 Braindumps](#)