



PAM-CDE-RECERT^{Q&As}

CyberArk CDE Recertification





Pass CyberArk PAM-CDE-RECERT Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/pam-cde-recert.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CyberArk Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Customers who have the `Access Safe without confirmation` safe permission on a safe where accounts are configured for Dual control, still need to request approval to use the account.

- A. TRUE
- B. FALSE

Correct Answer: B

QUESTION 2

Which of these accounts onboarding methods is considered proactive?

- A. Accounts Discovery
- B. Detecting accounts with PTA
- C. A Rest API integration with account provisioning software
- D. A DNA scan

Correct Answer: B

QUESTION 3

Which service should NOT be running on the DR Vault when the primary Production Vault is up?

- A. PrivateArk Database
- B. PrivateArk Server
- C. CyberArk Vault Disaster Recovery (DR) service
- D. CyberArk Logical Container

Correct Answer: B

QUESTION 4

The Privileged Access Management solution provides an out-of-the-box target platform to manage SSH keys, called UNIX Via SSH Keys.

How are these keys managed?

- A. CyberArk stores Private keys in the Vault and updates Public keys on target systems.
- B. CyberArk stores Public keys in the Vault and updates Private keys on target systems.



- C. CyberArk does not store Public or Private keys and instead uses a reconcile account to create keys on demand.
- D. CyberArk stores both Private and Public keys and can update target systems with either key.

Correct Answer: A

Reference: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/11.4/en/Content/SSHKM/Using%20SSH%20Keys.htm>

QUESTION 5

When Dual Control is enabled a user must first submit a request in the Password Vault Web Access (PVWA) and receive approval before being able to launch a secure connection via PSM for Windows (previously known as RDP Proxy).

- A. True
- B. False, a user can submit the request after the connection has already been initiated via the PSM for Windows

Correct Answer: B

[PAM-CDE-RECERT VCE Dumps](#)

[PAM-CDE-RECERT Exam Questions](#)

[PAM-CDE-RECERT Braindumps](#)