

QSDA2022^{Q&As}

Qlik Sense Data Architect Certification-2022

Pass Qlik QSDA2022 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/qsda2022.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Qlik Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

A data architect needs to write the expression for a measure on a KPI to show the sales person with the highest sales The sort order of the values of the fields is unknown When two or more sales people have sold the same amount, the expression should return all of those sales people

Which expression should the data architect use?

- A. FirstSortedValue (Salesperson, -Aggr (Sum(Sales), Salesperson))
- B. Concat(DISTINCT IF (Aggr (Rank (Sum (Sales), 4), Salesperson) = 1, Salesperson), \\'\\')
- C. FirstSortedValue (DISTINCT Salesperson, -Aggr (Sum(Sales), Salesperson))
- D. Concat (DISTINCT IF (Aggr (Rank (Sum (Sales), 1), Salesperson) = 1, Salesperson), \\'\\')

Correct Answer: D

QUESTION 2

Refer to the exhibit.

Date	PatientChange
2019-01-01	100
2019-01-02	25
2019-01-02	-30
2019-01-03	10
2019-01-03	-15
2019-01-04	20
2019-01-04	-10

This table contains information about the number of admissions and discharges of patients in a hospital. The values can be positive or negative. The data architect needs to create an extra column that contains the number of patients that are currently in the hospital.

Which script should the data architect use?



```
PatientData:
     LOAD
         Date, FatientChange,
         PatientChange + FieldValue(PatientChange) AS #Patients
     FROM [lib://Data/PatientData.xlsx]
     (ooxml, embedded labels, table is Sheet1);
B. PatientData:
     LOAD
         Date, PatientChange,
         Above (PatientChange) AS #Patients
     FROM [lib://Data/PatientData.xlsx]
     (ooxml, embedded labels, table is Sheet1);
C. PatientData:
    LOAD
         Date, PatientChange,
         RangeSum (PatientChange, Peek (#Patients)) AS #Patients
     FROM [lib://Data/PatientData.xlsx]
     (ooxml, embedded labels, table is Sheet1);
D. PatientData:
    LOAD
        Date, PatientChange,
        PatientChange + Peek(PatientChange) AS #Patients
     FROM [lib://Data/PatientData.xlsx]
     (ooxml, embedded labels, table is Sheet1);
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: A

QUESTION 3

Refer to the exhibit.

https://www.geekcert.com/qsda2022.html

2024 Latest geekcert QSDA2022 PDF and VCE dumps Download

```
239
240
         CompaniesDetails:
241
         LOAD [CompanyID],
242
              Age(Today(), CompanyStarted) as CompanyAge;
243
         LOAD
244
              [CompanyID],
245
              [CompanyStarted]
246
247
          FROM [lib://MyDataFiles/DAExam1.xlsx]
248
         (ooxml, embedded labels, table is [Company Names]);
249
250
         let a = FieldName(2, 'CompaniesDetails');
251
         Trace $(a);
252
253
         CompaniesDesc:
254
         LOAD
255
              [CompanyID],
256
              [CompanyDescription],
257
              [CompanyName]
258
          FROM [lib://MyDataFiles/DAExam1.xlsx]
259
         (ooxml, embedded labels, table is [Company Names]);
260
```

A business analyst reports that the \'CompanyAge\\' field does NOT display for users The data architect examines the LOAD script and wants to place the breakpoint in the script to check the field name.

Which line number should the data architect use?

- A. 242 because field name appears in the output Panel of the debugger
- B. 251 because the field name appears in the Variable panel of the debugger
- C. 251 because the field name appears in the Qlik Log files
- D. 251 because the field name appears in the Output panel of the debugger


Correct Answer: D

QUESTION 4

Refer to the exhibit.

https://www.geekcert.com/qsda2022.html

2024 Latest geekcert QSDA2022 PDF and VCE dumps Download



A business department is forecasting revenue within an Excel spreadsheet.

A data architect needs to include this forecast into the existing data model, and without losing any data.

Which two sets of steps will meet these requirements? (Select two.)

A. 1. Load the Excel spreadsheet using the data load editor

2.

Use the Unpivot function

3.

Use the Sum function to group the forecast by date

4.

Connect to the existing data model

B. 1. Load the Excel spreadsheet using the data load editor

2.

Use the Crosstable function to unpivot the table

3.

Create a composite key out of the date and region

4.

VCE & PDF GeekCert.com

https://www.geekcert.com/qsda2022.html 2024 Latest geekcert QSDA2022 PDF and VCE dumps Download

Connect the new table to the data model

C. 1 Load the Excel spreadsheet using the data load editor
2.
Change the sort order by date
3.
Create a composite key out of the forecast and region
4.
Connect to the existing data model
D. 1 Load the Excel spreadsheet into the data manager
2.
Use the Unpivot function
3.
Create a composite key from the date and region
4.
Connect the new table to the data model
E. 1. Load the Excel spreadsheet using the data manager
2.
Rename the ForecastDate field to Date
3.
Disable the Region
4.
Connect to the existing data model
Correct Answer: BD
Explanation: Option B involves loading the Excel spreadsheet using the data load editor and then using the Crosstabl function to unpivot the table, creating a composite key out of the date and region, and connecting the new table to the existing data model. Option D involves loading the Excel spreadsheet using the data manager, using the Unpivot function, creating a composite key from the date and region, and connecting the new table to the existing data model.

QUESTION 5

Refer to the exhibit.

https://www.geekcert.com/qsda2022.html

2024 Latest geekcert QSDA2022 PDF and VCE dumps Download

Category	Customer	2021-01	2021-02	2021-03	2021-04
CAR	Cust1	4067	5974	8694	7713
мото	Cust1	3064	5921	3102	5165
VELO	Cust1	6015	6579	6611	8786
TRUCK	Cust1	7801	8853	3854	5536
CAR	Cust2	5305	8710	7610	6414
мото	Cust2	5628	5459	2605	5205
VELO	Cust2	6905	4603	8677	8435
TRUCK	Cust2	8492	5439	9156	5242

A customer needs to load forecast data from an Excel file. Which preceding load statement should the data architect use to load the data?

- O A. Crosstable (Sales, Month, 2)
 Load
 Category, Customer
 ...
- O B. Crosstable (Sales, Month, 3)

 Load

 Category, Customer
 ...
- Crosstable (Category, Customer, 2)
 Load
 Sales, Month
 ...
- O D. Crosstable (Month, Sales, 2)

 Load

 Category, Customer
- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: D



https://www.geekcert.com/qsda2022.html 2024 Latest geekcert QSDA2022 PDF and VCE dumps Download

Latest QSDA2022 Dumps

QSDA2022 Practice Test

QSDA2022 Study Guide