



# UIPATH-ADPV1<sup>Q&As</sup>

UiPath Automation Developer Professional v1.0

## Pass UiPath UIPATH-ADPV1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/uipath-adpv1.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by UiPath  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Consider testing a workflow that computes the sum of two numbers having the data driven test data from the Excel file below:

Number1	Number2	Sum
1	2	3
2	2	4
5	4	9

Expanding the functionality of the workflow to compute the sum of three numbers, the data needs to be updated as well to accommodate the new scenario:

Number1	Number2	Number3	Sum
1	2	2	5
2	2	3	7
5	4	1	10

What are steps to do that?

- A. Click Right on the Test Case and select Update Test Data.
- B. Click Right on the Test Case and select Add Test Data.
- C. Click Right on the Test Case and select Refresh Test Data.
- D. Click Right on the Test Case and select Remove Test Data.

Correct Answer: A

### QUESTION 2

What are the three main components of UiPath Integration Service?

- A. Connectors, API Tokens, Triggers.
- B. Connectors, Connections, Orchestrator.
- C. Connectors, Connections, Triggers.
- D. Activities, Connections, Triggers.

Correct Answer: C



**QUESTION 3**

DRAG DROP

The provided exhibit displays the representation of the “Deadline” field using the yyyy-mm-dd format.

Queue Item Name	Deadline	Priority
EmployeeID1		Normal
EmployeeID2	2050-01-01	High
EmployeeID3	2050-01-02	High
EmployeeID4	2050-01-01	Normal
EmployeeID5	2050-01-02	Low
EmployeeID6		High
EmployeeID7	2050-01-01	Low
EmployeeID8	2050-01-01	Normal
EmployeeID9		Low

In what order should the Queue Items be processed by a single robot executing a Performer workflow?

Select and Place:

Queue Item

EmployeeID1	EmployeeID2	EmployeeID3
EmployeeID4	EmployeeID5	EmployeeID6
EmployeeID7	EmployeeID8	EmployeeID9

Order to be Processed

1<sup>st</sup>

2<sup>nd</sup>

3<sup>rd</sup>

4<sup>th</sup>

5<sup>th</sup>

6<sup>th</sup>

7<sup>th</sup>

8<sup>th</sup>

9<sup>th</sup>

Correct Answer:



Queue Item


Order to be Processed

- 1<sup>st</sup> EmployeeID2
- 2<sup>nd</sup> EmployeeID4
- 3<sup>rd</sup> EmployeeID8
- 4<sup>th</sup> EmployeeID7
- 5<sup>th</sup> EmployeeID3
- 6<sup>th</sup> EmployeeID5
- 7<sup>th</sup> EmployeeID6
- 8<sup>th</sup> EmployeeID1
- 9<sup>th</sup> EmployeeID9

**QUESTION 4**

How does UiPath handle different dependency versions for multiple running processes that run at the same time?

- A. Each running process automatically adapts to the available dependency version.
- B. Each running process uses its own required version of the dependency.
- C. All running processes use the latest version of the dependency available.
- D. Running processes use the earliest compatible dependency version.

Correct Answer: B

**QUESTION 5**

A developer wants to create an automation in which the input from the user and pre-defined conditions determine the transition between stages. In UiPath Studio, which is the recommended type of workflow that meets the requirement?



- A. Flowchart
- B. Workflow
- C. State Machine
- D. Global Exception Handler

Correct Answer: C

[UIPATH-ADPV1 Study Guide](#)

[UIPATH-ADPV1 Exam Questions](#)

[UIPATH-ADPV1 Braindumps](#)