



UIPATH-ADPV1^{Q&As}

UiPath Automation Developer Professional v1.0

Pass UiPath UIPATH-ADPV1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/uipath-adpv1.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by UiPath Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is the recommended approach for handling tabular data when building a REFramework transactional project in UiPath?

- A. Utilize a DataTable variable to store and process the tabular data.
- B. Save the tabular data in multiple CSV files for easier manipulation.
- C. Use separate variables to store each column of the tabular data.
- D. Implement custom activities to handle the tabular data.

Correct Answer: A

QUESTION 2

Starting with UiPath Studio version 2022.10, what happens to dependencies that lack Windows compatibility when they are converted in a project?

- A. They are removed from the project.
- B. They are automatically resolved.
- C. They are replaced with compatible alternatives.
- D. They are marked as unresolved.

Correct Answer: D

QUESTION 3

What is the default URL of the OCR server that runs the Computer Vision service?

- A. <https://server.uipath.com/>
- B. <https://computervision.uipath.com/>
- C. <https://cvserver.uipath.com/>
- D. <https://cv.uipath.com/>

Correct Answer: D

QUESTION 4

What is the purpose of credential stores in UiPath Orchestrator?

- A. To store non-sensitive data and configuration settings for UiPath Studio projects.




- B. To store Orchestrator event logs and related data for auditing purposes.
- C. To securely store sensitive data such as Robot credentials and Credential Assets for use in automation processes.
- D. To serve as a centralized location for storing pre-built automation workflows and processes.

Correct Answer: C

QUESTION 5

A developer is building an automation which types text into a text file. The Activity Project Settings for UI Automation Modern activities are set as follows:



The developer has configured the properties of a Type Into activity as follows:





What is the behavior of the Type Into activity when executing the workflow?

- A. The activity will use only properties set in Activity Project Settings.
- B. The activity will remove Multi Line in Run mode and a Single Line in Debug mode.
- C. The activity will remove a Single Line in Run mode and in Debug mode.
- D. The activity will remove a Single Line in Run mode and Multi Line in Debug mode.

Correct Answer: C

[UIPATH-ADPV1 VCE Dumps](#)

[UIPATH-ADPV1 Study Guide](#)

[UIPATH-ADPV1 Braindumps](#)